

OFFICE OF THE CHIEF PROCUREMENT OFFICER COUNTY OF COOK

118 NORTH CLARK ST. ROOM 1018 CHICAGO, ILLINOIS 60602-1375 (312) 603-5370

PURCHASE ORDERED ISSUED TO

85573

Siemens Cerberus Division 580 Slawin Ct Mt Prospect IL 60056 THIS PURCHASE ORDER NUMBER
MUST APPEAR ON ALL PACKAGES,
INVOICES, SHIPPING PAPERS AND
DROP SHIPMENTS.

DATE PURCHASE ORDER NO.

188360 - 000- OP

REQUISITION NO.

00113505 OR

COOK COUNTY FEIN: 36-6006541
ILLINOIS SALES TAX EXEMPT: E-9998-2013-04
FEDERAL EXCISE TAX EXEMPT CERT: 36-75-D038K

SHIP TO Facilities Management

Criminal Juctice Administration Bldg 2650 S. California Avenue CHICAGO IL 60608-5145 **DELIVERY INSTRUCTIONS**

5/1/2014

F.O.B. POINT

Mike Perna

773-674-6371

2001113

Page 1 of 1

LINE	FURNISH THE FOLLOWING SUPPLIES AND/OR SERVICE	QUANTITY/ UOM	UNIT PRICE	EXTENDED PRICE	ACCOUNT NUMBER
1.00	EMERGENCY PO CCB Test (3) 3000A Mains and Tie Breakers Only - Primary Current Injection testing and routine maintenance to GE type AK breakers including cleaning and adjusting. Division 1 Test (3) 4000A Mains and Tie Breakers Only - Primary Current Injection testing and routine maintenance to GE type AK breakers including cleaning and adjusting Service main on switchgear As per Siemen Quote #LLGO4142014-1 REV 1	.00 ЈВ	6,102.0000	6,102.00	2001113.540360
	****	Total Order **	****	6,102.00	

NOTE: VENDOR AGREES NOT TO EXCEED THE QUANTITY OR DOLLAR AMOUNT OF THIS ORDER WITHOUT WRITTEN AUTHORIZATION FROM THE CHIEF PROCUREMENT OFFICER

RECEIPT CERTIFICATION (FOR DEPARTMENT USE ONLY)

I hereby certify that I have received the goods/services reflected above and that the items referenced are in full conformity with the purchase order/contract.

Authorized Signature:

Date: -

I hereby certify that this purchase is in agreement with the requisition

on file authorizing the expenditure and is properly approved.

CHIEF PROCUREMENT OFFICER

Date:

nn 9 ML Z May 2014

EX/9